

	PROJ	ECT	NAM	IE:
--	------	-----	-----	-----

NOTES:

PART NUMBER:

DATE:

VAPORTITE STRIP—LED TUBES



PRODUCT DESCRIPTION:

The perfect solution for harsh conditions, the TechBrite LED Tube Vaportite Strip is damp listed, wet listed and certified NSF/ANSI2 Sanitation. With an IP67 rating, the Vaportite Strip is designed to minimize the retention of liquids or debris when hosed down. TechBrite's Vaportite Strip meets or exceeds all applicable NSF/ANSI Sanitation requirements. The impact resistant acrylic lens is tough enough to withstand most impacts, while providing high light transmission. TechBrite's Vaportite Strip wired for LED tubes provides an easy entry into the LED market.

CERTIFIED

FEATURES:

- IP67 Rated & Sanitation/ NSF CSA Rated
- Multiple Mounting Options for Speedy Installation
- Easy to Clean and Service
- Lengths of 2', 4' or 8'
- Plastic (Standard) or Stainless Steel
- Frosted Acrylic Ribbed Diffuser
- Limited Warranty: 5 Years on Luminaire


PERFORMANCE SPECIFICATION:

Lumens	3 Lamp Max (2') / 3 Lamp Max (4') / 6 Lamp Max (8')
Watts	2' = 27w Max / 4' = 66w Max / 8' = 132w Max
LPW	See TLED Specification
Color	See TLED Specification
CRI	See TLED Specification
L70	See TLED Specification
L85	See TLED Specification
Max Ambient Temp	See TLED Specification
Min Ambient Temp	See TLED Specification
Dimming	See TLED Specification
Driver Voltage	See TLED Specification
Chip	See TLED Specification
Driver	See TLED Specification



Vaportite Strip—LED Tubes

Commercial/Industrial



PART NUMBERS & DESCRIPTION: (* INDICATES # OF LAMPS, SEE BELOW)

Part Number	Description	Dimensions	Weight
V27*SSUBCXX00P0	Vaportite Strip 2ft. LED—Wired Single End—Unshunted sockets	27.70 x 6.75 x 4.42 (inches)	5.05 (lbs)
V27*SSUBCXX00P0-WOE	Vaportite Strip 2ft. LED — Wired Opposing Ends— Shunted sockets	27.70 x 6.75 x 4.42 (inches)	5.05 (lbs)
V47*SSUBCXX00P0	Vaportite Strip 4ft. LED—Wired Single End—Unshunted sockets	52.00 x 6.75 x 4.42 (inches)	3.95 (lbs)
V47*SSUBCXX00P0-WOE	Vaportite Strip 4ft. LED — Wired Opposing Ends— Shunted sockets	52.00 x 6.75 x 4.42 (inches)	3.95 (lbs)
V87*SSUBCXX00P0	Vaportite Strip 8ft. LED—Wired Single End—Unshunted sockets	100.00 x 6.75 x 4.42 (inches)	15.02 (lbs)
V87*SSUBCXX00P0-WOE	Vaportite Strip 8ft. LED —Wired Opposing Ends—Shunted sockets	100.00 x 6.75 x 4.42 (inches)	15.02 (lbs)

* Lamp options: 2ft/ 4ft—1, 2, 3; 8ft—2, 4, 6





Vaportite Strip—LED Tubes

Commercial/Industrial

ORDERING CHART: EXAMPLE: V472SSUBCXX00P0

Series		Length		Width		# of Tubes		Туре		Socket Type		Reflector		Wiring		Lamp Type	
v	Vaportite	2	2 Foot	7	7"	Two Foot		SS LED Tubes		x	Shunted BCXX Ballast Cove		Ballast Cover	00P0	Prewired		Wired single
		4	4 Foot			1	1 lamp			U	Unshunted	MRXX	Miro 4			BLANK	end with unshunted sockets
		8	8 Foot			2	2 lamp										
						3	3 lamp										Wired opposing ends with shunted sockets
						F	our Foot									WOE	
						1	1 lamp										
						2	2 lamp									-	
						3	3 lamp										
						Ei	ight Foot										
						2	2 lamp										
						4	4 lamp										
						6	6 lamp										

